



NOTES:

1. CONCRETE: CLASS AA CONCRETE 4,000 PSI. MIN. COMPRESSION STRENGTH IN 28 DAYS
2. DESIGN: MASH TL-3,
J-J HOOKS IS A CRASH TESTED AND OPERATIONAL DESIGN FOR USE ON ALL FEDERAL-AID HIGHWAY PROJECTS.
3. BOLT DOWN BOLTS OR PINS USED TO RESTRAIN BARRIER TO BE PROVIDED BY OTHERS, AND NUMBER OF BOLTS/PINS USED TO RESTRAIN DETERMINED BY PROJECT ENGINEER.
4. APPLICABLE SHAPE: F SHAPE.
5. DRAINAGE SLOTS WILL VARY IN SIZE AND LOCATION DEPENDING ON STATE DOT STANDARDS.
6. BARRIER MARKING: MARK TOP OF BARRIER AS FOLLOWS: **MASH 2022 MFD: YEAR**
7. A TRANSITION PIECE BETWEEN A J-J HOOK BARRIER AND ANOTHER SUCCESSFULLY TESTED CONNECTION IS ACCEPTABLE.
8. NOTICE: THIS PRODUCT CONTAINS PROPRIETARY FEATURES WHICH ARE PROTECTED BY ONE OR MORE U.S. PATENTS

APPROXIMATE WEIGHTS:
MEDIAN BARRIER: 5670 lb



JJ HOOK MEDIAN BARRIER

ALDOT TYPE 6 MASH TL-3
F-SHAPE 12' BOLT DOWN PORTABLE BARRIER

X.X