


FRONT ELEVATION
SCALE: N.T.S.



SECTION 1
SCALE: N.T.S.

Table of Dimensions						
Round Pipe	Hole Size	A	B	TONS	CY	LBS OF STEEL
15"	22"	3'-8"	2'-6"	0.96	0.47	18
18"	26"	3'-11"	2'-9"	1.02	0.51	20
24"	32"	4'-6"	3'-3"	1.14	0.56	24
30"	40"	5'-3"	3'-10"	1.47	0.73	37
36"	48"	5'-10"	4'-4"	1.64	0.81	40
42"	56"	6'-5"	4'-11"	1.80	0.89	51
48"	62"	7'-0"	5'-5"	2.04	1.01	57
54"	70"	7'-5"	6'-0"	2.13	1.05	66
60"	78"	8'-0"	6'-7"	2.30	1.14	74

- NOTES:
- [1]-CONCRETE: TDOT CLASS A CONCRETE.
 - [2]-3/4" CHAMFER ON ALL EXPOSED EDGES.
 - [3]-SUBGRADE TO BE COMPACTED TO 98% OF MAXIMUM PER ASTM D698.
 - [4]-MINIMUM COVER OVER ALL STEEL REINFORCEMENT SHALL BE 3".
 - [5]-ALL STEEL REINFORCEMENT IS REBAR PER ASTM A615, GRADE 60. SIZE AS SHOWN.

METRO HEADWALL FOR RCP

PROJECT: METRO HEADWALL

CONTRACTOR:

APPROVED BY: _____ DOC. #: REVISION 4

DWN. BY JTM CK BY: _____

DATE: 8/19/2020 SHEET: 1 OF 1

